

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	"20010005682" "20020077992" "20020024453"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:21
L2	26	((("7032240") or ("7013484") or ("7003495") or ("6986044") or ("6985869") or ("6981156") or ("6981138") or ("6961849") or ("6810521") or ("6684334") or ("6185307") or ("6161184") or ("5481610")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:24
L3	69	"7032240" "7013484" "7003495" "6986044" "6985869" "6981156" "6981138" "6961849" "6810521" "6684334" "6185307" "6161184" "5481610"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:25
L4	63	(L1 or L2 or L3) and @ad<"20010514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:25
L5	50	(L1 or L2 or L3) and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:36
L6	50313	(portable or PDA or mobile or cellphone or phone or cell or laptop or radio or wireless or PALM or PDU or transportable) with (install\$3 or installation or modify\$3 or modificat\$3 or updat\$3 or alter\$3 or exchang\$3 or chang\$3 or transfer\$3 or transmit\$3 or send\$3 or deliver\$3) with (key or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:29
L7	9	L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:36

EAST Search History

L8	264	(key near3 loader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:10
L9	120	L8 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:12
L10	26	L9 and ((RF or radio) with (transceiver or receiver or communicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:12
L11	2	("6393127").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:41
L12	2	"6393127" and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:41
L13	31	("5481610").URPN.	USPAT	OR	ON	2006/10/12 10:49
L14	2	("6859537").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:49
L15	8659	(key near3 (loader or install\$3 or installation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:12
L16	3922	L15 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:21

EAST Search History

L17	197	L16 and ((RF or radio) with (transceiver or receiver or communicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:32
L18	72	L17 and (key with encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:13
L19	61	L18 and (encrypt\$3 with communicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:13
L20	48	L19 and (short or close or proximity or "near" or range or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:31
L21	58	"contactless smartcards"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:21
L22	13	L21 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:30
L23	2	"6356738" and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:31
L24	8	"6356738"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:26

EAST Search History

L25	549	((clear or unencrypt\$3) with key with (load\$3 or install\$3 or installation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:31
L26	319	L25 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:37
L27	235	L26 and (short or close or proximity or "near" or range or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:31
L28	19	L27 and ((RF or radio) with (transceiver or receiver or communicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:32
L29	11	"6065679" and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:43
L30	9	"6026165" and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:44

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	338	(portable near4 key\$3 near4 device).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:08
L2	79	L1 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:08
L3	17	L2 and (encrypt\$3 with key\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:09
L4	9	"5887063" and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:02
L5	203	(portable near4 key\$3 near4 device).clm.	US-PGPUB	OR	ON	2006/10/12 12:08
L6	0	L5 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:08
L7	59	L5 and (encrypt\$3 with key\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:11
L8	1548	(load\$3 or install\$3 or installation) near6 key near6 (terminal or register or cashier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:12

EAST Search History

L9	781	(load\$3 or install\$3 or installation) near6 key near6 (portable or wireless or smartcard or cellphone or mobile or cell or PDU or PALM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:13
L10	134	L8 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:13
L11	36	L10 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:06
L12	6	"6061791" and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:14
L13	2	"6611194" and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:07
L14	419	(key with (radio or RF) with (load\$3 or install\$3 or installation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:13
L15	55	L14 and (encrypt\$3 with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:07
L16	33	L15 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:07

EAST Search History

L17	2	("6065679").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 14:13
L18	11	"6065679" and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:14
L19	2	L18 and (key with (updat\$3 or load\$3 or install\$3 or installation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:14



Welcome United States Patent and Trademark Office

Search Results

BROWSE


SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((infrared and key and load)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= ..."

Your search matched 2 of 1416205 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((infrared and key and load)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)

Search >

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **A guidance sensor for continuous mine haulage**
 Sammarco, J.J.;
[Industry Applications Conference, 1996. Thirty-First IAS Annual Meeting, IAS '96., Conference Record of the 1996 IEEE](#)
 Volume 4, 6-10 Oct. 1996 Page(s):2465 - 2472 vol.4
 Digital Object Identifier 10.1109/IAS.1996.563916
[AbstractPlus](#) | Full Text: [PDF](#)(736 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Practical application of laser inner lead bonding to TAB devices over 500 pin counts**
 Kimura, Y.; Okamura, M.; Yamada, S.; Shimamoto, H.; Yoshida, M.;
[Electronics Manufacturing Technology Symposium, 1994. 'Low-Cost Manufacturing Technologies for Tomorrow's Global Economy'. Proceedings 1994 IEMT Symposium., Sixteenth IEEE/CPMT International](#)
 12-14 Sept. 1994 Page(s):253 - 258 vol.1
 Digital Object Identifier 10.1109/IEMT.1994.404715
[AbstractPlus](#) | Full Text: [PDF](#)(552 KB) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved





Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((wireless and key and loading)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2000)"

Your search matched 38 of 1416205 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

[Select All](#) [Deselect All](#)1-25 | [26-38](#)

- ☐ 1. Load and interference based demand assignment (LIDA) for integrated services in CDMA wireless systems
Chih-Lin I; Nanda, S.;
[Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communications: The Key to Global Prosperity](#)
Volume 1, 18-22 Nov. 1996 Page(s):235 - 241 vol.1
Digital Object Identifier 10.1109/GLOCOM.1996.594366
[AbstractPlus](#) | Full Text: [PDF\(664 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. Cordless batteryless wheel mouse application utilizing radio requestable SAW devices in combination with the giant magneto-impedance effect
Hausleitner, C.; Steindl, R.; Pohl, A.; Hauser, H.; Goiser, A.M.J.; Siefert, F.;
[Microwave Theory and Techniques, IEEE Transactions on](#)
Volume 49, Issue 4, Part 2, April 2001 Page(s):817 - 822
Digital Object Identifier 10.1109/22.915469
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(152 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. The effect of harmonic load terminations on RF power amplifier linearity for sinusoidal and $\pi/4$ DQPSK stimuli
Staudinger, J.; Norris, G.;
[Wireless Applications Digest, 1997., IEEE MTT-S Symposium on Technologies for](#)
23-26 Feb. 1997 Page(s):23 - 28
Digital Object Identifier 10.1109/MTTTWA.1997.595104
[AbstractPlus](#) | Full Text: [PDF\(444 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. An access protocol for supporting multiple classes of service in a local wireless environment
Kumar, S.; Vaman, D.R.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 45, Issue 2, May 1996 Page(s):288 - 302
Digital Object Identifier 10.1109/25.492903
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1288 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. Using packet-level information in handover and admission control schemes for wireless packet network
Bianchi, G.; Tinnirello, I.;
[Wireless Communications and Networking Conference, 2000. WCNC. 2000 IEEE](#)
Volume 2, 23-28 Sept. 2000 Page(s):490 - 495 vol.2

Digital Object Identifier 10.1109/WCNC.2000.903901

[AbstractPlus](#) | Full Text: [PDF\(580 KB\)](#) IEEE CNF

[Rights and Permissions](#)

- ☐ **6. Signalling traffic volume generated by mobile and personal communications**
Pollini, G.P.; Meier-Hellstern, K.S.; Goodman, D.J.;
[Communications Magazine, IEEE](#)
Volume 33, Issue 6, June 1995 Page(s):60 - 65
Digital Object Identifier 10.1109/35.387552
[AbstractPlus](#) | Full Text: [PDF\(536 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **7. Signaling system performance evaluation for personal communications**
Pollini, G.P.; Goodman, D.J.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 45, Issue 1, Feb. 1996 Page(s):131 - 138
Digital Object Identifier 10.1109/25.481830
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(760 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **8. Dynamic guard bandwidth scheme for wireless broadband networks**
Wee-Seng Soh; Kim, H.S.;
[INFOCOM 2001. Twentieth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings, IEEE](#)
Volume 1, 22-26 April 2001 Page(s):572 - 581 vol.1
Digital Object Identifier 10.1109/INFCOM.2001.916784
[AbstractPlus](#) | Full Text: [PDF\(1200 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. Guaranteed quality-of-service wireless access to ATM networks**
Cheng-Shang Chang; Kwang-Cheng Chen; Ming-Young You; Jin-Fu Chang;
[Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communications: The Key to Global Prosperity](#)
Volume 3, 18-22 Nov. 1996 Page(s):1964 - 1968 vol.3
Digital Object Identifier 10.1109/GLOCOM.1996.591979
[AbstractPlus](#) | Full Text: [PDF\(528 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. Large-signal automated load-pull of adjacent-channel power for digital wireless communication systems**
Sevic, J.F.; Steer, M.B.; Pavio, A.M.;
[Microwave Symposium Digest, 1996., IEEE MTT-S International](#)
Volume 2, 17-21 June 1996 Page(s):763 - 766 vol.2
Digital Object Identifier 10.1109/MWSYM.1996.511050
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. Wireless load sharing of single phase telecom Inverters**
Wallace, K.; Mantov, G.;
[Telecommunications Energy Conference, 1999. INTELEC '99. The 21st International](#)
6-9 June 1999 Page(s):7 pp.
Digital Object Identifier 10.1109/INTLEC.1999.794012
[AbstractPlus](#) | Full Text: [PDF\(668 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **12. A multi-star optical backbone network suitable for distributed microcellular wireless systems**
Sharony, J.;
[Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communications: The Key to Global Prosperity](#)
Volume 1, 18-22 Nov. 1996 Page(s):328 - 332 vol.1
Digital Object Identifier 10.1109/GLOCOM.1996.594383
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF

[Rights and Permissions](#)

- ☐ **13. Understanding linearity in wireless communication amplifiers**
Struble, W.; McGrath, F.; Harrington, I.; Nagle, P.;
[Solid-State Circuits, IEEE Journal of](#)
Volume 32, Issue 9, Sept. 1997 Page(s):1310 - 1318
Digital Object Identifier 10.1109/4.628733

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(324 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **14. A combined reservation random access polling protocol for voice-data transmissions in a wireless packet network**
Fantacci, R.; Zoppi, L.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 48, Issue 2, March 1999 Page(s):652 - 662
Digital Object Identifier 10.1109/25.752590

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(240 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **15. A dynamic frame PRMA protocol for wireless ATM networks**
Xuejun Sha; Kang, C.G.;
[Communication Technology Proceedings, 1998. ICCT '98. 1998 International Conference on](#)
Volume vol.2, 22-24 Oct. 1998 Page(s):13 pp. vol.2
Digital Object Identifier 10.1109/ICCT.1998.740753

[AbstractPlus](#) | Full Text: [PDF](#)(808 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **16. Efficient end-to-end authentication protocols for mobile networks**
Cheng-Hsin Chang; Kwei Tu; Kwang-Cheng Chen;
[Personal, Indoor and Mobile Radio Communications, 1996. PIMRC'96., Seventh IEEE International Symposium on](#)
Volume 3, 15-18 Oct. 1996 Page(s):1252 - 1256 vol.3
Digital Object Identifier 10.1109/PIMRC.1996.568485

[AbstractPlus](#) | Full Text: [PDF](#)(452 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **17. Digital cordless telephone equipment for wireless PBX system**
Hamada, K.; Takagi, H.; Tanaka, K.; Hirono, M.;
[Vehicular Technology Conference, 1993 IEEE 43rd](#)
18-20 May 1993 Page(s):963 - 966
Digital Object Identifier 10.1109/VETEC.1993.510971

[AbstractPlus](#) | Full Text: [PDF](#)(208 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **18. A band selection/switching technique for multi-mode wireless front-end transceivers**
Madihian, M.;
[Microwave and Optoelectronics Conference, 2001. IMOC 2001. Proceedings of the 2001 SBMO/IEEE MTT-S International](#)
Volume 1, 6-10 Aug. 2001 Page(s):257 - 260 vol.1
Digital Object Identifier 10.1109/SBMOMO.2001.1008761

[AbstractPlus](#) | Full Text: [PDF](#)(326 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **19. A dynamic voltage scaled microprocessor system**
Burd, T.; Pering, T.; Stratakos, A.; Brodersen, R.;
[Solid-State Circuits Conference, 2000. Digest of Technical Papers, ISSCC. 2000 IEEE International](#)
7-9 Feb. 2000 Page(s):294 - 295, 466
Digital Object Identifier 10.1109/ISSCC.2000.839787

[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **20. An efficient MAC based on a decentralised channel load sensing protocol for wide-band CDMA systems**
Covarrubias, D.; Ruiz, S.; Fernandez, A.;
[Vehicular Technology Conference, 1999. VTC 1999 - Fall. IEEE VTS 50th](#)
Volume 3, 19-22 Sept. 1999 Page(s):1690 - 1694 vol.3
Digital Object Identifier 10.1109/VETECF.1999.801589
[AbstractPlus](#) | Full Text: [PDF](#)(404 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **21. On the significance of envelope peak-to-average ratio for estimating the spectral regrowth of an RF/microwave power amplifier**
Sevic, J.F.; Steer, M.B.;
[Microwave Theory and Techniques, IEEE Transactions on](#)
Volume 48, Issue 6, June 2000 Page(s):1068 - 1071
Digital Object Identifier 10.1109/22.904747
[AbstractPlus](#) | Full Text: [PDF](#)(108 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **22. Performance analysis of multi-service cellular networks with mobile users**
Randhawa, T.S.; Hardy, R.H.S.;
[Wireless Communications and Networking Conference, 2000. WCNC. 2000. IEEE](#)
Volume 3, 23-28 Sept. 2000 Page(s):1390 - 1397 vol.3
Digital Object Identifier 10.1109/WCNC.2000.904835
[AbstractPlus](#) | Full Text: [PDF](#)(464 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **23. Look-ahead channel reservation and borrowing in cellular network systems**
Haihong Zheng; Bhattacharya, S.;
[High-Assurance Systems Engineering, 1999. Proceedings. 4th IEEE International Symposium on](#)
17-19 Nov. 1999 Page(s):179 - 185
Digital Object Identifier 10.1109/HASE.1999.809493
[AbstractPlus](#) | Full Text: [PDF](#)(212 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **24. Non-uniform polling and reservation alternatives for bandwidth management in broadband wireless networks**
Movahhedinia, N.; Stamantelos, G.; Hafez, R.H.M.;
[Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communications: The Key to Global Prosperity](#)
Volume 3, 18-22 Nov. 1996 Page(s):2068 - 2072 vol.3
Digital Object Identifier 10.1109/GLOCOM.1996.591998
[AbstractPlus](#) | Full Text: [PDF](#)(412 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **25. Performance analysis of a slotted CDMA system for indoor wireless communication using a Markov chain model**
Prasad, R.; Wijffels, C.A.F.J.;
[Global Telecommunications Conference, 1991. GLOBECOM '91. Countdown to the New Millennium. Featuring a Mini-Theme on: Personal Communications Services](#)
2-5 Dec 1991 Page(s):1953 - 1957 vol.3
Digital Object Identifier 10.1109/GLOCOM.1991.188701
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF
[Rights and Permissions](#)



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH


IEEE XPLORE GUIDE

SUPPORT

Results for "(((wireless and key and installation)<in>metadata)) <and> (pyr >= 1950 <and> py..."

Your search matched 8 of 1416205 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **Three technical hurdles on the road to a wireless office-integration, integration, integration**
 Anderson, D.; Molyneaux, J.;
Wireless Communications, 1992. Conference Proceedings., 1992 IEEE International Conference on Selected Topics in
 25-26 June 1992 Page(s):387 - 390
 Digital Object Identifier 10.1109/ICWC.1992.200790
AbstractPlus | Full Text: [PDF](#)(464 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Broadband wireless access**
 Honcharenko, W.; Kruys, J.P.; Lee, D.Y.; Shah, N.J.;
Communications Magazine, IEEE
 Volume 35, Issue 1, Jan. 1997 Page(s):20 - 26
 Digital Object Identifier 10.1109/35.568192
AbstractPlus | Full Text: [PDF](#)(2760 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Wireless power transmlssion: the key to solar power satellites**
 Nansen, R.H.;
Aerospace and Electronic Systems Magazine, IEEE
 Volume 11, Issue 1, Jan. 1996 Page(s):33 - 39
 Digital Object Identifier 10.1109/62.484148
AbstractPlus | Full Text: [PDF](#)(840 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Throughput density constraints for wireless LANs based on DSSS**
 Kamerman, A.;
Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th International Symposium on
 Volume 3, 22-25 Sept. 1996 Page(s):1344 - 1350 vol.3
 Digital Object Identifier 10.1109/ISSSTA.1996.563613
AbstractPlus | Full Text: [PDF](#)(576 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Shipboard applications of wireless personal communication services (PCS)**
 Smith, D.R.; Shah, S.A.; Held, M.S.; Krause, C.F.;
Military Communications Conference, 1996. MILCOM '96, Conference Proceedings, IEEE
 Volume 2, 21-24 Oct. 1996 Page(s):379 - 383 vol.2
 Digital Object Identifier 10.1109/MILCOM.1996.568566
AbstractPlus | Full Text: [PDF](#)(444 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. Plug-and-play sensors in wireless networks**
Dunbar, M.;
[Instrumentation & Measurement Magazine, IEEE](#)
Volume 4, Issue 1, March 2001 Page(s):19 - 23
Digital Object Identifier 10.1109/5289.911169
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1052 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **7. A broadband wireless access network based on mesh-connected free-space optical links**
Acampora, A.S.; Krishnamurthy, S.V.;
[Personal Communications, IEEE \[see also IEEE Wireless Communications\]](#)
Volume 6, Issue 5, Oct. 1999 Page(s):62 - 65
Digital Object Identifier 10.1109/98.799621
[AbstractPlus](#) | Full Text: [PDF](#)(380 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **8. The impact of technology evolution on the future of telecommunications energy management**
Guest, V.L.;
[Telecommunications Energy Conference, 1993. INTELEC '93. 15th International](#)
Volume 1, 27-30 Sept. 1993 Page(s):1 - 4 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(252 KB) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

